

GFX Code Review

Thank you for your interest in joining the Global Foreign Exchange Technology (GFX) team at Bank of America. As a part of our interview process, we would like you to complete a programming problem on your own and submit your finished code for our review.

Enclosed is a single programming problem that you must solve using **Java** only. You are allowed to use any external library that you feel is necessary to deliver a complete application that correctly solves the problem. Example input and expected output are provided so that you can verify your solution.

Please deliver your code in a format where we can easily build and run your application, and be sure to include all dependencies and artifacts for your implementation. Your completed solution should be delivered via email to carolyn.chavis@bankofamerica.com and you may include a brief explanation of your design and the assumptions you've made along with your code. For security reasons, please send your email attachments in a compressed format.

We ask that you submit your solution within five days from the date that you receive this problem. If you feel that you need more time, please contact Carolyn Chavis directly at the above email address.

Note that as we will consider your code review as the next step in your overall interview, we reserve the right to offer a face-to-face interview after a successful review of your code.

Good luck, and have fun!

The GFX Team

The Elevator Problem

Imagine a high-rise building that has exactly one elevator. The elevator can travel to all 12 floors in the building and it receives commands in the following format:

start floor - end floor


For example, if the elevator receives the commands 4-1, 3-2, 1-5, and 6-8 it would mean that someone will get on at floor 4 and off at floor 1, someone else will get on at floor 3 and off at floor 2, and so on. In addition, the elevator can operate in two unique modes (described below), which specify the priority and optimizations that the elevator should use when completing a set of commands.

Your task is to write a program that requires an argument for the name of a text file containing multiple sets of commands as an input, and for each set of commands outputs both the path that the elevator will take and the total distance in floors that the elevator must travel. In addition, your program must accept an argument to specify which mode the elevator will operate in throughout the application lifecycle. The mode argument should follow the filename argument.

Your program must support both of the following modes.

Mode A


Mode A is very inefficient and it only allows for transporting one person at a time. If Doug calls the elevator on floor 4 and wants to go to floor 1, and Alan subsequently calls the elevator on floor 3 and wants to go to floor 2, the elevator will go pick up Doug and take him to floor 1 before picking up Alan and taking him to floor 2.



In this example the system receives the commands 4-1, 3-2 and tells the elevator to travel from its current floor to floors 4, 1, 3, and 2. If the elevator starts at floor 1, its total distance traveled will be 9 floors.

Mode B

Mode B allows for operating the elevator more efficiently. Similar to Mode A, the elevator in Mode B will acknowledge each command in the order that it is received. However Mode B supports transporting more people at once and if any consecutive requests to travel in the same direction are received, the elevator can handle them all in one trip. If in the example above Doug and Alan had requested the elevator in Mode B, the elevator would have picked up Doug on 4, picked up Alan on 3, dropped off Alan on 2, and finally dropped off Doug on 1.



In other words, the commands 4-1, 3-2 can be merged because they are consecutive requests to travel from a higher floor to a lower floor.

Test Input

```
10:8-1
9:1-5,1-6,1-5
2:4-1,4-2,6-8
3:7-9,3-7,5-8,7-11,11-1
7:11-6,10-5,6-8,7-4,12-7,8-9
6:1-8,6-8
```

Each line of your text file should consist of the initial floor location of the elevator, a colon “:”, and one or more commands that are delimited with a comma “,”. Each line represents a set of commands that should be processed exclusively and sequentially, and the result of processing one line should not influence the result of the next.

Expected Output

Mode A	Mode B
10 8 1 (9)	10 8 1 (9)
9 1 5 1 6 1 5 (30)	9 1 5 6 (13)
2 4 1 4 2 6 8 (16)	2 4 2 1 6 8 (12)
3 7 9 3 7 5 8 7 11 1 (36)	3 5 7 8 9 11 1 (18)
7 11 6 10 5 6 8 7 4 12 7 8 9 (40)	7 11 10 6 5 6 8 12 7 4 8 9 (30)
6 1 8 6 8 (16)	6 1 6 8 (12)

For each set of commands the system should output a single line consisting of a space-delimited list of floors followed by the total distance in floors that the elevator travels, in parenthesis “(” and “)”. The list of floors should begin with the initial floor location followed by the visited floors in the order that the elevator visits them.